



- Screw locking 7/8"
- Degree of protection IP67
- Moulded versions IP68
- Easy assembly
- Angled connectors adjustable in 8 positions
- Panel mount connector with single wires/dip-solder contacts

| Description                   | Drawing | Contacts | Cable length, PUR | Ordering-No.            |
|-------------------------------|---------|----------|-------------------|-------------------------|
| Male cable connector, moulded |         | 3 x 1,5  | 2 m               | 77 1429 0000 50003-0200 |
|                               |         |          | 5 m               | 77 1429 0000 50003-0500 |
|                               |         |          | 10 m              | 77 1429 0000 50003-1000 |
|                               |         | 4 x 1,5  | 2 m               | 77 1429 0000 50004-0200 |
|                               |         |          | 5 m               | 77 1429 0000 50004-0500 |
|                               |         |          | 10 m              | 77 1429 0000 50004-1000 |
|                               |         | 5 x 1,5  | 2 m               | 77 1429 0000 50005-0200 |
|                               |         |          | 5 m               | 77 1429 0000 50005-0500 |
|                               |         |          | 10 m              | 77 1429 0000 50005-1000 |







|                                |  |         |      |                         |
|--------------------------------|--|---------|------|-------------------------|
| Male angled connector, moulded |  | 3 x 1,5 | 2 m  | 77 1427 0000 50003-0200 |
|                                |  |         | 5 m  | 77 1427 0000 50003-0500 |
|                                |  |         | 10 m | 77 1427 0000 50003-1000 |
|                                |  | 4 x 1,5 | 2 m  | 77 1427 0000 50004-0200 |
|                                |  |         | 5 m  | 77 1427 0000 50004-0500 |
|                                |  |         | 10 m | 77 1427 0000 50004-1000 |
|                                |  | 5 x 1,5 | 2 m  | 77 1427 0000 50005-0200 |
|                                |  |         | 5 m  | 77 1427 0000 50005-0500 |
|                                |  |         | 10 m | 77 1427 0000 50005-1000 |

|                                 |  |         |      |                         |
|---------------------------------|--|---------|------|-------------------------|
| Female cable connector, moulded |  | 3 x 1,5 | 2 m  | 77 1430 0000 50003-0200 |
|                                 |  |         | 5 m  | 77 1430 0000 50003-0500 |
|                                 |  |         | 10 m | 77 1430 0000 50003-1000 |
|                                 |  | 4 x 1,5 | 2 m  | 77 1430 0000 50004-0200 |
|                                 |  |         | 5 m  | 77 1430 0000 50004-0500 |
|                                 |  |         | 10 m | 77 1430 0000 50004-1000 |
|                                 |  | 5 x 1,5 | 2 m  | 77 1430 0000 50005-0200 |
|                                 |  |         | 5 m  | 77 1430 0000 50005-0500 |
|                                 |  |         | 10 m | 77 1430 0000 50005-1000 |

|                                  |  |         |      |                         |
|----------------------------------|--|---------|------|-------------------------|
| Female angled connector, moulded |  | 3 x 1,5 | 2 m  | 77 1434 0000 50003-0200 |
|                                  |  |         | 5 m  | 77 1434 0000 50003-0500 |
|                                  |  |         | 10 m | 77 1434 0000 50003-1000 |
|                                  |  | 4 x 1,5 | 2 m  | 77 1434 0000 50004-0200 |
|                                  |  |         | 5 m  | 77 1434 0000 50004-0500 |
|                                  |  |         | 10 m | 77 1434 0000 50004-1000 |
|                                  |  | 5 x 1,5 | 2 m  | 77 1434 0000 50005-0200 |
|                                  |  |         | 5 m  | 77 1434 0000 50005-0500 |
|                                  |  |         | 10 m | 77 1434 0000 50005-1000 |

#### Specifications


|                      |                                         |         |                                                                               |
|----------------------|-----------------------------------------|---------|-------------------------------------------------------------------------------|
| Contacts             | 3, 2+PE                                 | 4, 3+PE | 5, 4+PE                                                                       |
| Wire gauge           | max. 1,5 mm <sup>2</sup> (max. AWG 16)  |         | max. 1,5 mm <sup>2</sup> –max. 2,5 mm <sup>2</sup> (max. AWG 16 –max. AWG 14) |
| Mechanical operation | > 100 Mating cycles, > 50 Mating cycles |         |                                                                               |
| Temperature range    | – 25 °C /+ 80 °C, – 25 °C /+ 85 °C      |         |                                                                               |
| Rated voltage        | 300 V (600 V UL)                        |         |                                                                               |
| Pollution degree     | 3                                       |         |                                                                               |
| Rated current (40°C) | 12 A                                    | 9 A     |                                                                               |
| Contact plating      | Au (Gold)                               |         |                                                                               |
| Material of housing  | PUR, PBT                                |         |                                                                               |

| Description                                          | Drawing                                                                                                                                                                                                                                                                                                                                                                                       | Contacts | Wire gauge | Cable outlet | Ordering-No. |         |         |                      |                                            |                                                                                          |                                                                                                                                      |         |         |                      |                                            |                                                                            |                                                                                                                     |
|------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|--------------|--------------|---------|---------|----------------------|--------------------------------------------|------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|---------|---------|----------------------|--------------------------------------------|----------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| Male cable connector                                 | <br> <table><tr><td colspan="2">A</td><td colspan="2">B</td></tr><tr><td>6-8mm</td><td>SW 16mm</td><td>6-8mm</td><td>SW 19mm</td></tr><tr><td>10-12mm</td><td>SW 21mm</td><td>10-12mm</td><td>SW 24mm</td></tr></table>     | A        |            | B            |              | 6-8mm   | SW 16mm | 6-8mm                | SW 19mm                                    | 10-12mm                                                                                  | SW 21mm                                                                                                                              | 10-12mm | SW 24mm | 2+PE<br>3+PE<br>4+PE | 1,5 mm <sup>2</sup><br>2,5 mm <sup>2</sup> | 6–8 mm<br>10–12 mm<br>6–8 mm<br>10–12 mm<br>6–8 mm<br>10–12 mm<br>10–12 mm | 99 2441 12 03<br>99 2441 32 03<br>99 2443 12 04<br>99 2443 32 04<br>99 2445 12 05<br>99 2445 32 05<br>99 2445 33 05 |
| A                                                    |                                                                                                                                                                                                                                                                                                                                                                                               | B        |            |              |              |         |         |                      |                                            |                                                                                          |                                                                                                                                      |         |         |                      |                                            |                                                                            |                                                                                                                     |
| 6-8mm                                                | SW 16mm                                                                                                                                                                                                                                                                                                                                                                                       | 6-8mm    | SW 19mm    |              |              |         |         |                      |                                            |                                                                                          |                                                                                                                                      |         |         |                      |                                            |                                                                            |                                                                                                                     |
| 10-12mm                                              | SW 21mm                                                                                                                                                                                                                                                                                                                                                                                       | 10-12mm  | SW 24mm    |              |              |         |         |                      |                                            |                                                                                          |                                                                                                                                      |         |         |                      |                                            |                                                                            |                                                                                                                     |
| Male cable connector                                 | <br> <table><tr><td colspan="2">A</td></tr><tr><td>8-10mm</td><td>SW 19mm</td></tr><tr><td>12-14mm</td><td>SW 23mm</td></tr></table>                                                                                        | A        |            | 8-10mm       | SW 19mm      | 12-14mm | SW 23mm | 2+PE<br>3+PE<br>4+PE | 1,5 mm <sup>2</sup><br>2,5 mm <sup>2</sup> | 8–10 mm<br>12–14 mm<br>8–10 mm<br>12–14 mm<br>8–10 mm<br>12–14 mm<br>8–10 mm<br>12–14 mm | 99 2441 21 03<br>99 2441 42 03<br>99 2443 21 04<br>99 2443 42 04<br>99 2445 21 05<br>99 2445 42 05<br>99 2445 23 05<br>99 2445 43 05 |         |         |                      |                                            |                                                                            |                                                                                                                     |
| A                                                    |                                                                                                                                                                                                                                                                                                                                                                                               |          |            |              |              |         |         |                      |                                            |                                                                                          |                                                                                                                                      |         |         |                      |                                            |                                                                            |                                                                                                                     |
| 8-10mm                                               | SW 19mm                                                                                                                                                                                                                                                                                                                                                                                       |          |            |              |              |         |         |                      |                                            |                                                                                          |                                                                                                                                      |         |         |                      |                                            |                                                                            |                                                                                                                     |
| 12-14mm                                              | SW 23mm                                                                                                                                                                                                                                                                                                                                                                                       |          |            |              |              |         |         |                      |                                            |                                                                                          |                                                                                                                                      |         |         |                      |                                            |                                                                            |                                                                                                                     |
| Male cable connector, stainless steel locking ring   | <br> <table><tr><td colspan="2">A</td><td colspan="2">B</td></tr><tr><td>6-8mm</td><td>SW 16mm</td><td>6-8mm</td><td>SW 19mm</td></tr><tr><td>10-12mm</td><td>SW 21mm</td><td>10-12mm</td><td>SW 24mm</td></tr></table>   | A        |            | B            |              | 6-8mm   | SW 16mm | 6-8mm                | SW 19mm                                    | 10-12mm                                                                                  | SW 21mm                                                                                                                              | 10-12mm | SW 24mm | 2+PE<br>3+PE<br>4+PE | 1,5 mm <sup>2</sup>                        | 6–8 mm                                                                     | 99 2441 282 03<br>99 2443 282 04<br>99 2445 282 05                                                                  |
| A                                                    |                                                                                                                                                                                                                                                                                                                                                                                               | B        |            |              |              |         |         |                      |                                            |                                                                                          |                                                                                                                                      |         |         |                      |                                            |                                                                            |                                                                                                                     |
| 6-8mm                                                | SW 16mm                                                                                                                                                                                                                                                                                                                                                                                       | 6-8mm    | SW 19mm    |              |              |         |         |                      |                                            |                                                                                          |                                                                                                                                      |         |         |                      |                                            |                                                                            |                                                                                                                     |
| 10-12mm                                              | SW 21mm                                                                                                                                                                                                                                                                                                                                                                                       | 10-12mm  | SW 24mm    |              |              |         |         |                      |                                            |                                                                                          |                                                                                                                                      |         |         |                      |                                            |                                                                            |                                                                                                                     |
| Female cable connector                               | <br> <table><tr><td colspan="2">A</td><td colspan="2">B</td></tr><tr><td>6-8mm</td><td>SW 16mm</td><td>6-8mm</td><td>SW 19mm</td></tr><tr><td>10-12mm</td><td>SW 21mm</td><td>10-12mm</td><td>SW 24mm</td></tr></table> | A        |            | B            |              | 6-8mm   | SW 16mm | 6-8mm                | SW 19mm                                    | 10-12mm                                                                                  | SW 21mm                                                                                                                              | 10-12mm | SW 24mm | 2+PE<br>3+PE<br>4+PE | 1,5 mm <sup>2</sup><br>2,5 mm <sup>2</sup> | 6–8 mm<br>10–12 mm<br>6–8 mm<br>10–12 mm<br>6–8 mm<br>10–12 mm<br>10–12 mm | 99 2440 12 03<br>99 2440 32 03<br>99 2442 12 04<br>99 2442 32 04<br>99 2444 12 05<br>99 2444 32 05<br>99 2444 33 05 |
| A                                                    |                                                                                                                                                                                                                                                                                                                                                                                               | B        |            |              |              |         |         |                      |                                            |                                                                                          |                                                                                                                                      |         |         |                      |                                            |                                                                            |                                                                                                                     |
| 6-8mm                                                | SW 16mm                                                                                                                                                                                                                                                                                                                                                                                       | 6-8mm    | SW 19mm    |              |              |         |         |                      |                                            |                                                                                          |                                                                                                                                      |         |         |                      |                                            |                                                                            |                                                                                                                     |
| 10-12mm                                              | SW 21mm                                                                                                                                                                                                                                                                                                                                                                                       | 10-12mm  | SW 24mm    |              |              |         |         |                      |                                            |                                                                                          |                                                                                                                                      |         |         |                      |                                            |                                                                            |                                                                                                                     |
| Female cable connector                               | <br> <table><tr><td colspan="2">A</td></tr><tr><td>8-10mm</td><td>SW 19mm</td></tr><tr><td>12-14mm</td><td>SW 23mm</td></tr></table>                                                                                    | A        |            | 8-10mm       | SW 19mm      | 12-14mm | SW 23mm | 2+PE<br>3+PE<br>4+PE | 1,5 mm <sup>2</sup><br>2,5 mm <sup>2</sup> | 8–10 mm<br>12–14 mm<br>8–10 mm<br>12–14 mm<br>8–10 mm<br>12–14 mm<br>8–10 mm<br>12–14 mm | 99 2440 21 03<br>99 2440 42 03<br>99 2442 21 04<br>99 2442 42 04<br>99 2444 21 05<br>99 2444 42 05<br>99 2444 23 05<br>99 2444 43 05 |         |         |                      |                                            |                                                                            |                                                                                                                     |
| A                                                    |                                                                                                                                                                                                                                                                                                                                                                                               |          |            |              |              |         |         |                      |                                            |                                                                                          |                                                                                                                                      |         |         |                      |                                            |                                                                            |                                                                                                                     |
| 8-10mm                                               | SW 19mm                                                                                                                                                                                                                                                                                                                                                                                       |          |            |              |              |         |         |                      |                                            |                                                                                          |                                                                                                                                      |         |         |                      |                                            |                                                                            |                                                                                                                     |
| 12-14mm                                              | SW 23mm                                                                                                                                                                                                                                                                                                                                                                                       |          |            |              |              |         |         |                      |                                            |                                                                                          |                                                                                                                                      |         |         |                      |                                            |                                                                            |                                                                                                                     |
| Female cable connector, stainless steel locking ring | <br> <table><tr><td colspan="2">A</td><td colspan="2">B</td></tr><tr><td>6-8mm</td><td>SW 16mm</td><td>6-8mm</td><td>SW 19mm</td></tr><tr><td>10-12mm</td><td>SW 21mm</td><td>10-12mm</td><td>SW 24mm</td></tr></table> | A        |            | B            |              | 6-8mm   | SW 16mm | 6-8mm                | SW 19mm                                    | 10-12mm                                                                                  | SW 21mm                                                                                                                              | 10-12mm | SW 24mm | 2+PE<br>3+PE<br>4+PE | 1,5 mm <sup>2</sup>                        | 6–8 mm                                                                     | 99 2440 282 03<br>99 2442 282 04<br>99 2444 282 05                                                                  |
| A                                                    |                                                                                                                                                                                                                                                                                                                                                                                               | B        |            |              |              |         |         |                      |                                            |                                                                                          |                                                                                                                                      |         |         |                      |                                            |                                                                            |                                                                                                                     |
| 6-8mm                                                | SW 16mm                                                                                                                                                                                                                                                                                                                                                                                       | 6-8mm    | SW 19mm    |              |              |         |         |                      |                                            |                                                                                          |                                                                                                                                      |         |         |                      |                                            |                                                                            |                                                                                                                     |
| 10-12mm                                              | SW 21mm                                                                                                                                                                                                                                                                                                                                                                                       | 10-12mm  | SW 24mm    |              |              |         |         |                      |                                            |                                                                                          |                                                                                                                                      |         |         |                      |                                            |                                                                            |                                                                                                                     |

| Description             | Drawing | Contacts             | Wire gauge         | Cable outlet                                                                             | Ordering-No.                                                                                                                         |
|-------------------------|---------|----------------------|--------------------|------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Male angled connector   |         | 2+PE<br>3+PE<br>4+PE | 1,5 mm²            | 6–8 mm                                                                                   | 99 2441 52 03<br>99 2443 52 04<br>99 2445 52 05                                                                                      |
| Male angled connector   |         | 2+PE<br>3+PE<br>4+PE | 1,5 mm²<br>2,5 mm² | 8–10 mm<br>10–12 mm<br>8–10 mm<br>10–12 mm<br>8–10 mm<br>10–12 mm<br>8–10 mm<br>10–12 mm | 99 2441 62 03<br>99 2441 72 03<br>99 2443 62 04<br>99 2443 72 04<br>99 2445 62 05<br>99 2445 72 05<br>99 2445 63 05<br>99 2445 73 05 |
| Female angled connector |         | 2+PE<br>3+PE<br>4+PE | 1,5 mm²            | 6–8 mm                                                                                   | 99 2440 52 03<br>99 2442 52 04<br>99 2444 52 05                                                                                      |
| Female angled connector |         | 2+PE<br>3+PE<br>4+PE | 1,5 mm²<br>2,5 mm² | 8–10 mm<br>10–12 mm<br>8–10 mm<br>10–12 mm<br>8–10 mm<br>10–12 mm<br>8–10 mm<br>10–12 mm | 99 2440 62 03<br>99 2440 72 03<br>99 2442 62 04<br>99 2442 72 04<br>99 2444 62 05<br>99 2444 72 05<br>99 2444 63 05<br>99 2444 73 05 |


Component part drawing

Cable connectors



Female insert/  
Male insert  
Sleeve  
Seal  
Pinch ring  
Pressing screw

Angled connectors



Female insert/  
Male insert  
Angled sleeve mounted  
Angled housing  
Seal  
Pinch ring  
Pressing screw  
Cable outlet adjustable  
in 8 positions

| Description                                                            | Drawing                                                                                                                                                                                                                                                     | Contacts          | Fixing thread                                                  | Ordering-No.                                                                                                                                                   |
|------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Male panel mount connector, with single wires (AWG 18)                 |                                                                                                                                                                            | 2+PE<br>4         | PG 11<br>PG 13,5<br>M20 x 1,5<br>PG 11<br>PG 13,5<br>M20 x 1,5 | 09 2447 310 03<br>09 2447 300 03<br>09 2447 320 03<br>09 2449 310 04<br>09 2449 300 04<br>09 2449 320 04<br>09 2451 310 05<br>09 2451 300 05<br>09 2451 320 05 |
| Male panel mount connector, front fastened, with single wires (AWG 18) |                                                                                                                                                                            | 2+PE<br>4<br>4+PE | —<br>—<br>—                                                    | 09 2447 100 03<br>09 2449 100 04<br>09 2451 100 05                                                                                                             |
| Male panel mount connector, dip-solder                                 |                                                                                                                                                                           | 2+PE<br>4<br>4+PE | —<br>—<br>—                                                    | 09 2447 330 03<br>09 2449 330 04<br>09 2451 330 05                                                                                                             |
| Male panel mount connector, front fastened, dip-solder                 |                                                                                                                                                                          | 2+PE<br>4<br>4+PE | —<br>—<br>—                                                    | 09 2447 180 03<br>09 2449 180 04<br>09 2451 180 05                                                                                                             |
| Adapter lead-through for control cabinet                               |                                                                                                                                                                          | 5                 | —                                                              | 09 2472 00 05                                                                                                                                                  |
| Splitter, socket 7/8", pin/socket 7/8"                                 |  | 3<br>4<br>5       | —<br>—<br>—                                                    | 09 2473 100 03<br>09 2474 100 04<br>09 2475 100 05                                                                                                             |

| Description                                              | Drawing                                                                           | Contacts | Fixing thread | Ordering-No.   |
|----------------------------------------------------------|-----------------------------------------------------------------------------------|----------|---------------|----------------|
| Female panel mount connector, with single wires (AWG 18) |  | 2+PE     | PG 11         | 09 2446 310 03 |
|                                                          |                                                                                   |          | PG 13,5       | 09 2446 300 03 |
|                                                          |                                                                                   |          | M20 x 1,5     | 09 2446 320 03 |
|                                                          |                                                                                   | 4        | PG 11         | 09 2448 310 04 |
|                                                          |                                                                                   |          | PG 13,5       | 09 2448 300 04 |
|                                                          |                                                                                   |          | M20 x 1,5     | 09 2448 320 04 |
|                                                          |                                                                                   | 4+PE     | PG 11         | 09 2450 310 05 |
|                                                          |                                                                                   |          | PG 13,5       | 09 2450 300 05 |
|                                                          |                                                                                   |          | M20 x 1,5     | 09 2450 320 05 |


|                                                                          |  |      |   |                |
|--------------------------------------------------------------------------|--|------|---|----------------|
| Female panel mount connector, front fastened, with single wires (AWG 18) |  | 2+PE | — | 09 2446 100 03 |
|                                                                          |  | 4    | — | 09 2448 100 04 |
|                                                                          |  | 4+PE | — | 09 2450 100 05 |

|                                          |  |      |   |                |
|------------------------------------------|--|------|---|----------------|
| Female panel mount connector, dip-solder |  | 2+PE | — | 09 2446 330 03 |
|                                          |  | 4    | — | 09 2448 330 04 |
|                                          |  | 4+PE | — | 09 2450 330 05 |


|                                                          |  |      |   |                |
|----------------------------------------------------------|--|------|---|----------------|
| Female panel mount connector, front fastened, dip-solder |  | 2+PE | — | 09 2446 180 03 |
|                                                          |  | 4    | — | 09 2448 180 04 |
|                                                          |  | 4+PE | — | 09 2450 180 05 |

Contact arrangements male insert (mating side)


3, 2+PE contacts






4, 3+PE contacts



5, 4+PE contacts



Contact arrangements female insert (mating side)




Colour of wire, moulded cable and panel mount connectors


| 3, 2+PE contacts | 4, 3+PE contacts | 5, 4+PE contacts |
|------------------|------------------|------------------|
| 1 green/yellow   | 1 black          | 1 black          |
| 2 brown          | 2 blue           | 2 blue           |
| 3 blue           | 3 brown          | 3 green/yellow   |
|                  | 4 white          | 4 brown          |
|                  |                  | 5 white          |

Panel cut out

Panel mount connector



Panel mount connector, front fastened



| Description                                     | Drawing       | Ordering-No.                                                                                                                                                                                                                                                                        |               |               |              |       |          |             |         |          |             |           |          |             |
|-------------------------------------------------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------|--------------|-------|----------|-------------|---------|----------|-------------|-----------|----------|-------------|
| Protection cap for male cable connector         |               | 08 2807 000 000                                                                                                                                                                                                                                                                     |               |               |              |       |          |             |         |          |             |           |          |             |
| Protection cap for female cable connector       |               | 08 2808 000 000                                                                                                                                                                                                                                                                     |               |               |              |       |          |             |         |          |             |           |          |             |
| Protection cap for male panel mount connector   |               | 08 2809 000 000                                                                                                                                                                                                                                                                     |               |               |              |       |          |             |         |          |             |           |          |             |
| Protection cap for female panel mount connector |               | 08 2811 000 000                                                                                                                                                                                                                                                                     |               |               |              |       |          |             |         |          |             |           |          |             |
| Torque wrench                                   |               | 07 0082 000                                                                                                                                                                                                                                                                         |               |               |              |       |          |             |         |          |             |           |          |             |
| Hexagonal nut for fixing thread                 |               | <table><tr><th>Fix. thread B</th><th>Wrench size A</th><th>Ordering-No.</th></tr><tr><td>PG 11</td><td>SW 21 mm</td><td>16 0403 001</td></tr><tr><td>PG 13,5</td><td>SW 23 mm</td><td>16 0401 001</td></tr><tr><td>M20 x 1,5</td><td>SW 24 mm</td><td>16 0917 001</td></tr></table> | Fix. thread B | Wrench size A | Ordering-No. | PG 11 | SW 21 mm | 16 0403 001 | PG 13,5 | SW 23 mm | 16 0401 001 | M20 x 1,5 | SW 24 mm | 16 0917 001 |
| Fix. thread B                                   | Wrench size A | Ordering-No.                                                                                                                                                                                                                                                                        |               |               |              |       |          |             |         |          |             |           |          |             |
| PG 11                                           | SW 21 mm      | 16 0403 001                                                                                                                                                                                                                                                                         |               |               |              |       |          |             |         |          |             |           |          |             |
| PG 13,5                                         | SW 23 mm      | 16 0401 001                                                                                                                                                                                                                                                                         |               |               |              |       |          |             |         |          |             |           |          |             |
| M20 x 1,5                                       | SW 24 mm      | 16 0917 001                                                                                                                                                                                                                                                                         |               |               |              |       |          |             |         |          |             |           |          |             |